


# PRICE LIST 3

NET INDUSTRIAL PRICES

JULY, 1966

## NICHOLSON INDUSTRIAL HAMMERS



including

- INDUSTRIAL HAMMERS
- DEADBLO HAMMERS
- FACES
- DEMOUNTABLE HEAD  
(with Rawhide Faces)
- DEMOUNTABLE HEAD  
(with Nylon Faces)
- RAWHIDE MALLETS
- REPLACEMENT HANDLES

**DISTRIBUTOR**  
**STANDARD INDUSTRIAL SUPPLY Co., INC.**

246 Chestnut Street, Springfield, Mass. 01101

Telephone 739-6981 (Area Code 413)



**NICHOLSON FILE COMPANY**

PROVIDENCE, RHODE ISLAND 02904



# NICHOLSON SOFT FACED HAMMERS

## NET INDUSTRIAL PRICES

Military Description GGG-H-0033 (Navy Ships)

### ● INDUSTRIAL HAMMERS

HOLDERS ONLY (Including handle) NON-SPARKING

| Holder Number | Dia.              | Size Length       | Weight lb. oz. | Handle Length      | Std. Qty. | Pkg. Weight lbs. | Net Price Each | Extra Handle |
|---------------|-------------------|-------------------|----------------|--------------------|-----------|------------------|----------------|--------------|
| 100           | 1"                | 2"                | 5              | 11 $\frac{3}{8}$ " | 6         | 2                | 1.62           | .66          |
| **105         | 1"                | 2"                | 8              | 11 $\frac{3}{8}$ " | 6         | 3                | 1.83           | .66          |
| 150           | 1 $\frac{1}{2}$ " | 2 $\frac{3}{8}$ " | 10             | 13"                | 6         | 3 $\frac{3}{4}$  | 2.16           | .66          |
| 153           | 1 $\frac{1}{2}$ " | 4 $\frac{1}{2}$ " | 13             | 13"                | 4         | 4                | 2.98           | .66          |
| **155         | 1 $\frac{1}{2}$ " | 2 $\frac{3}{8}$ " | 1 0            | 13"                | 6         | 6                | 2.49           | .66          |
| 158           | 1 $\frac{1}{2}$ " | 3 $\frac{1}{2}$ " | 1 12           | 13"                | 6         | 10 $\frac{3}{4}$ | 3.26           | .66          |
| 200           | 2"                | 2 $\frac{1}{2}$ " | 1 0            | 13"                | 6         | 5 $\frac{3}{4}$  | 2.87           | .66          |
| **205         | 2"                | 2 $\frac{1}{2}$ " | 1 12           | 13"                | 6         | 10 $\frac{1}{2}$ | 3.16           | .66          |
| **207         | 2"                | 3 $\frac{7}{8}$ " | 2 9            | 15"                | 4         | 11 $\frac{3}{4}$ | 3.97           | .83          |
| 208           | 2"                | 4 $\frac{1}{8}$ " | 3 8            | 13"                | 4         | 15 $\frac{3}{4}$ | 5.09           | .83          |
| 250           | 2 $\frac{1}{2}$ " | 3 $\frac{1}{4}$ " | 1 12           | 15"                | 4         | 6 $\frac{3}{4}$  | 3.75           | .83          |
| **255         | 2 $\frac{1}{2}$ " | 3 $\frac{1}{4}$ " | 3 6            | 13"                | 4         | 13 $\frac{1}{2}$ | 4.31           | .83          |
| 300           | 3"                | 3 $\frac{3}{4}$ " | 2 14           | 14"                | 2         | 5 $\frac{3}{4}$  | 5.59           | .93          |
| **305         | 3"                | 3 $\frac{3}{4}$ " | 5 8            | 14"                | 2         | 11               | 8.27           | .93          |
| *307          | 3"                | 4 $\frac{5}{8}$ " | 7 4            | 28"                | 1         | 7 $\frac{1}{4}$  | 16.13          | 1.54         |
| *308          | 3"                | 5 $\frac{3}{4}$ " | 9 4            | 36"                | 1         | 9 $\frac{1}{4}$  | 17.35          | 1.69         |

\*Steel Head Not Non-sparking

\*\*Zinc Alloy

### ● DEADBLO

HOLDERS ONLY (Including handle)

| Holder Number | Dia.              | Size Length       | Weight lb. oz. | Handle Length      | Std. Qty. | Pkg. Weight lbs. | Net Price Each | Extra Handle |
|---------------|-------------------|-------------------|----------------|--------------------|-----------|------------------|----------------|--------------|
| 152           | 1 $\frac{1}{2}$ " | 3 $\frac{1}{2}$ " | 15             | 13"                | 6         | 5 $\frac{3}{4}$  | 4.60           | .66          |
| 202           | 2"                | 4 $\frac{5}{8}$ " | 2 0            | 13"                | 4         | 7 $\frac{3}{4}$  | 6.47           | .83          |
| 304           | 3"                | 5"                | 3 12           | 14 $\frac{1}{4}$ " | 1         | 4                | 20.67          | .93          |

#### NOTE: ORDERING INFORMATION

Holders only

Example: To order a holder, determine size and weight required and specify holder number, such as #150, 153 or 155 etc. Order Faces separately.


ORDER FROM YOUR INDUSTRIAL DISTRIBUTOR



# REPLACEABLE SCREW-IN TYPE FACES

NET INDUSTRIAL PRICES

**FOR ALL  
NICHOLSON  
INDUSTRIAL  
AND DEADBLO  
HAMMERS - HOLDERS**



## • REPLACEABLE SCREW-IN TYPE FACES

| Dia. | Color  | Hardness          | Prices Each Net |
|------|--------|-------------------|-----------------|
| 1"   | Gray   | Super Soft        | 1.03            |
|      | Brown  | Soft              | .81             |
|      | Red    | Medium            | .81             |
|      | Green  | Tough             | .81             |
|      | Cream  | Med. Hard (Nylon) | 1.03            |
|      | Black  | Hard              | 1.03            |
|      | Yellow | Ex. Hard          | 1.03            |
| 1½"  | Gray   | Super Soft        | 1.95            |
|      | Brown  | Soft              | 1.22            |
|      | Red    | Medium            | 1.22            |
|      | Green  | Tough             | 1.22            |
|      | Cream  | Med. Hard (Nylon) | 1.95            |
|      | Black  | Hard              | 1.95            |
|      | Yellow | Ex. Hard          | 1.95            |
| 2"   | Gray   | Super Soft        | 3.12            |
|      | Brown  | Soft              | 1.84            |
|      | Red    | Medium            | 1.84            |
|      | Green  | Tough             | 1.84            |

| Dia. | Color  | Hardness          | Prices Each Net |
|------|--------|-------------------|-----------------|
| 2"   | Cream  | Med. Hard (Nylon) | 3.12            |
|      | Black  | Hard              | 3.12            |
|      | Yellow | Ex. Hard          | 3.12            |
| 2½"  | Gray   | Super Soft        | 5.10            |
|      | Brown  | Soft              | 3.20            |
|      | Red    | Medium            | 3.20            |
|      | Green  | Tough             | 3.20            |
|      | Cream  | Med. Hard (Nylon) | 5.10            |
|      | Black  | Hard              | 5.10            |
| 3"   | Yellow | Ex. Hard          | 5.10            |
|      | Gray   | Super Soft        | 9.41            |
|      | Brown  | Soft              | 4.92            |
|      | Red    | Medium            | 4.92            |
|      | Green  | Tough             | 4.92            |
|      | Cream  | Med. Hard (Nylon) | 9.41            |
|      | Black  | Hard              | 9.41            |
|      | Yellow | Ex. Hard          | 9.41            |

**NOTE: FACES PACKED ONE PAIR (2) TO A CONTAINER**

**COLOR DENOTES HARDNESS**

**ORDERING INFORMATION**


Example: To order a 1½" dia. Medium face  
Specify 1½" Face M or Med.

**ORDER FROM YOUR INDUSTRIAL DISTRIBUTOR**




# NICHOLSON DANCO SOFT FACED HAMMERS

## NET INDUSTRIAL PRICES




### ● DEADBLO HAMMERS WITH NYLON FACES

| Hammer Code | Dia. | Size Length | Handle Length | Weight lb. oz. | Net Price Each | Extra Faces* |
|-------------|------|-------------|---------------|----------------|----------------|--------------|
| DHH         | 1¼"  | 3¾"         | 11½"          | 10             | 3.05           | .74          |
| DBH         | 1½"  | 4½"         | 12"           | 1 2            | 4.46           | .89          |
| DCH         | 1¾"  | 5½"         | 13¼"          | 1 14           | 6.41           | 1.05         |



### ● DANCRAFT HAMMERS WITH NYLON FACES

| Hammer No. | Dia. | Size Length | Handle Length | Weight lb. oz. | Net Price Each | Extra Faces* |
|------------|------|-------------|---------------|----------------|----------------|--------------|
| 50         | 1¼"  | 3¾"         | 10½"          | 13             | 3.31           | .74          |
| 51         | 1½"  | 4½"         | 11½"          | 1 6            | 4.41           | .89          |
| 52         | 1¾"  | 5½"         | 12½"          | 2 3            | 5.62           | 1.05         |
| 53         | 2¼"  | 6"          | 12"           | 4              | 8.82           | 1.31         |



**NOTE:** EACH OF THE ABOVE HAMMERS IS FURNISHED COMPLETE WITH TWO NYLON FORCED-IN FACES.

\* EXTRA FACES MAY BE ORDERED. SPECIFY "DANCRAFT FACES" AND GIVE DIAMETER REQUIRED.

#### ORDER HAMMERS AS FOLLOWS:

Example — "6 only DHH Deadblo"  
or "6 only #50 Dancraft Hammers".

**ORDER FROM YOUR  
INDUSTRIAL DISTRIBUTOR**



# NICHOLSON DANCO HAMMERS

## NET INDUSTRIAL PRICES

### ● ALUMINUM HEADS WITH NYLON FACES (NON-SPARKING)

| Hammer Code | Dia. | Size Length | Handle Length | Weight lbs. ozs. | Net Price Each | Extra Faces* | Extra Handle |
|-------------|------|-------------|---------------|------------------|----------------|--------------|--------------|
| HA          | 1¼"  | 3¾"         | 11½"          | 10               | 3.94           | .74          | .47          |
| BA          | 1½"  | 4½"         | 12"           | 15               | 5.72           | .89          | .47          |
| CA          | 1¾"  | 5½"         | 13¼"          | 1 8              | 7.14           | 1.05         | .47          |
| TAS         | 2¼"  | 4½"         | 14¾"          | 1 12             | 8.93           | 1.31         | .53          |
| TA          | 2¼"  | 6½"         | 14¾"          | 2 5              | 10.50          | 1.31         | .53          |

### ● STEEL HEADS WITH NYLON FACES (NOT NON-SPARKING)

| Hammer Code | Dia. | Size Length | Handle Length | Weight lbs. ozs. | Net Price Each | Extra Faces* | Extra Handle |
|-------------|------|-------------|---------------|------------------|----------------|--------------|--------------|
| HS          | 1¼"  | 3¾"         | 11½"          | 1 2              | 3.94           | .74          | .47          |
| BS          | 1½"  | 4½"         | 12"           | 1 10             | 5.46           | .89          | .47          |
| CS          | 1¾"  | 5½"         | 13¼"          | 2 12             | 6.62           | 1.05         | .47          |
| TSS         | 2¼"  | 4½"         | 14¾"          | 3 4              | 8.66           | 1.31         | .53          |
| TS          | 2¼"  | 6"          | 14¾"          | 4 14             | 9.19           | 1.31         | .53          |



**NOTE:** EACH OF THE ABOVE HAMMERS IS FURNISHED COMPLETE WITH TWO NYLON FORCED-IN FACES.

\*EXTRA FACES MAY BE ORDERED. SPECIFY "DANCRAFT FACES" AND GIVE DIAMETER REQUIRED.

#### ORDER HAMMERS AS FOLLOWS:

Example — "6 only HA Danco Hammers" or "6 HS Danco Hammers"

**ORDER FROM YOUR INDUSTRIAL DISTRIBUTOR**





# NICHOLSON DEMOUNTABLE (JAWHEAD) AND SOFT FACED HAMMERS

## NET INDUSTRIAL PRICES

### • DEMOUNTABLE WITH RAWHIDE FACES

| Hammer No. | Cavity Head Dia. | Weight lb. oz. |   | Quantity Assorted |                         |         |
|------------|------------------|----------------|---|-------------------|-------------------------|---------|
|            |                  |                |   | 1-9               | 10-99<br>Piece Each Net | 100-300 |
| 1          | 1¼"              | 1              | 6 | 3.43              | 3.22                    | 2.92    |
| 2          | 1½"              | 2              | 0 | 3.95              | 3.71                    | 3.36    |
| 3          | 1¾"              | 2              | 8 | 4.84              | 4.55                    | 4.11    |
| 4          | 2"               | 4              | 8 | 6.21              | 5.83                    | 5.27    |
| 5          | 2¾"              | 7              | 0 | 9.08              | 8.54                    | 7.73    |

### • DEMOUNTABLE WITH NYLON FACES

|   |     |   |   |       |       |      |
|---|-----|---|---|-------|-------|------|
| 1 | 1¼" | 1 | 6 | 4.50  | 4.23  | 3.83 |
| 2 | 1½" | 2 | 0 | 5.17  | 4.86  | 4.39 |
| 3 | 1¾" | 2 | 8 | 6.34  | 5.97  | 5.40 |
| 4 | 2"  | 4 | 8 | 8.75  | 8.23  | 7.44 |
| 5 | 2¾" | 7 | 0 | 11.66 | 10.96 | 9.93 |

### • REPLACEABLE FACES FOR DEMOUNTABLE HEAD HAMMERS

| Cavity Head Dia. | Quan. 1 to 9 |       | Quan. 10 to 99 |       | Quan. 100-300 |       |
|------------------|--------------|-------|----------------|-------|---------------|-------|
|                  | Rawhide      | Nylon | Rawhide        | Nylon | Rawhide       | Nylon |
| 1¼"              | .63          | 1.17  | .60            | 1.08  | .55           | 1.00  |
| 1½"              | .74          | 1.35  | .69            | 1.26  | .63           | 1.14  |
| 1¾"              | .86          | 1.63  | .82            | 1.52  | .74           | 1.39  |
| 2"               | 1.11         | 2.37  | 1.05           | 2.25  | .95           | 2.03  |
| 2¾"              | 2.10         | 3.39  | 1.98           | 3.19  | 1.80          | 2.89  |

**NOTE:** THE FACES USED IN DEMOUNTABLE HAMMERS ARE CALLED DEMOUNTABLE FACES. WHEN ORDERING SPECIFY "DEMOUNTABLE FACES" AND GIVE THE DIAMETER AND SPECIFY WHETHER NYLON OR RAWHIDE IS REQUIRED.

Example:

12 only 1½" Demountable Nylon Face  
or 1½" Demountable RAWHIDE Face

### • RAWHIDE MALLET REGULAR

| Hammer No. | Dia. | Size   |   | Weight lb. oz. | Quantity Assorted |       |          |
|------------|------|--------|---|----------------|-------------------|-------|----------|
|            |      | Length |   |                | 1-9               | 10-99 | 100-300* |
| 0          | 1"   | 1¾"    |   | 2              | 1.51              | 1.42  | 1.28     |
| 1          | 1¼"  | 3      |   | 4              | 1.81              | 1.69  | 1.54     |
| 2          | 1½"  | 3      |   | 6              | 2.07              | 1.93  | 1.76     |
| 3          | 1¾"  | 3½"    |   | 8              | 2.29              | 2.14  | 1.94     |
| 4          | 2"   | 3⅝"    |   | 12             | 2.84              | 2.68  | 2.40     |
| 5          | 2¾"  | 4¼"    | 1 | 8              | 5.09              | 4.79  | 4.33     |
| 6          | 2¾"  | 4¾"    | 1 | 12             | 5.90              | 5.55  | 5.02     |


**NOTE:** ORDER AS #1 RAWHIDE MALLET REGULAR, ETC.

### • RAWHIDE MALLET LOADED


| Hammer No. | Dia. | Size   |   | Weight lb. oz. | Quantity Assorted |       |          |
|------------|------|--------|---|----------------|-------------------|-------|----------|
|            |      | Length |   |                | 1-9               | 10-99 | 100-300* |
| 7          | 1¼"  | 3"     |   | 8              | 2.25              | 2.11  | 1.91     |
| 8          | 1½"  | 3⅝"    |   | 12             | 2.70              | 2.53  | 2.29     |
| 9          | 1¾"  | 3⅞"    | 1 | 2              | 3.14              | 2.95  | 2.68     |
| 10         | 2"   | 3½"    | 1 | 8              | 3.87              | 3.64  | 3.29     |
| 11         | 2¾"  | 4¼"    | 2 | 12             | 6.50              | 6.10  | 5.53     |

\* BEYOND 300 QUANTITY — PRICE ON APPLICATION

**NOTE:** ORDER AS #7 RAWHIDE MALLET LOADED, ETC.



DEMOUNTABLE (with Nylon Faces)



RAWHIDE MALLET



# NICHOLSON REPLACEMENT HANDLES WITH WEDGE

## NET INDUSTRIAL PRICES

NOTE: FOLLOWING IS INFORMATION NECESSARY WHEN ORDERING REPLACEMENT HANDLES FOR NICHOLSON SOFT FACE HAMMERS.

### • INDUSTRIAL HAMMERS

| For Hammer No. | Order Handle No. | Net Price Each |
|----------------|------------------|----------------|
| 100            | 100              | .66            |
| 105            | 100              | .66            |
| 150            | 150              | .66            |
| 155            | 150              | .66            |
| 153            | 150              | .66            |
| 158            | CS               | .66            |
| 200            | 200              | .66            |
| 205            | 200              | .66            |
| 207            | 207              | .83            |
| 208            | TS               | .83            |
| 250            | 250              | .83            |
| 255            | 255              | .83            |
| 300            | 300              | .93            |
| 305            | 300              | .93            |
| 307            | 307              | 1.54           |
| 308            | 308              | 1.69           |
| 152            | 200              | .66            |
| 202            | TS               | .83            |
| 304            | 304              | .83            |
| DHH            | HS               | .47            |
| DBH            | BS               | .47            |
| DCH            | CS               | .47            |
| 50             | 50               | .47            |
| 51             | 51               | .47            |
| 52             | 52               | .47            |
| 53             | 53               | .53            |
| HS             | HS               | .47            |
| HA             | HS               | .47            |
| BS             | BS               | .47            |
| BA             | BS               | .47            |
| CS             | CS               | .47            |
| CA             | CS               | .47            |
| TS             | TS               | .83            |
| TSS            | TS               | .83            |
| TA             | TS               | .83            |
| TAS            | TS               | .83            |

### • RAWHIDE MALLETS

| For Mallet No. | Order Handle No. | Net Price Each |
|----------------|------------------|----------------|
| 0              | 0                | .63            |
| 1              | 1                | .63            |
| 2              | 1                | .63            |
| 3              | 3                | .63            |
| 4              | 4                | .63            |
| 5              | 5                | .63            |
| 6              | 5                | .63            |
| 7              | 7                | .63            |
| 8              | 8                | .63            |
| 9              | 9                | .63            |
| 10             | 10               | .63            |
| 11             | 11               | .63            |

### • DEMOUNTABLE NYLON OR RAWHIDE

| For Hammer No. | Order Handle No. | Net Price Each |
|----------------|------------------|----------------|
| 1              | 1                | .63            |
| 2              | 2                | .63            |
| 3              | 3                | .63            |
| 4              | 4                | .63            |
| 5              | 5                | .63            |

**ORDER FROM YOUR  
INDUSTRIAL DISTRIBUTOR**





NICHOLSON FILE CO.  
PROVIDENCE, RHODE ISLAND 02904

5M 7/66  
N-224B

LITHO IN U. S. A.